



SYMBOL	DESCRIPTION	LVL.
	2 WAY SW.	+3'-4"
	SWITCH BOARD	+3'-4"
	SWITCH BOARD	+3'-4"
	GYSER SWITCH	+3'-4"
	5 AMP.	+1'-0"
	15 AMP.	+1'-0"
	TELEPHONE POINT	+1'-0"
	A.C. MOTOR STARTER SWITCH	+2'-3"
	TELEPHONE POINT	+2'-3"
	BED SIDE LIGHT	BEDSIDE LIGHT AT 2'-9"
	FAN REGULATOR	BEDSIDE LIGHT AT 2'-9"
	5 AMP MASTER CEILING LIGHT	BEDSIDE LIGHT AT 2'-9"
	TUBE LIGHT	+2'-3"
	BED SIDE LIGHT	BEDSIDE LIGHT AT 2'-9"
	CEILING LIGHT	BEDSIDE LIGHT AT 2'-9"
	5 AMP.	BEDSIDE LIGHT AT 2'-9"
	5 AMP.	+3'-6"
	15 AMP	+3'-6"
	TELEPHONE POINT	+3'-6"
	LV	+3'-6"
	CEILING FAN	SN CEILING
	TUBE LIGHT	+7'-6"
	BRACKET LIGHT	+7'-6"
	BED SIDE LIGHT	+2'-9"
	MIRROR LIGHT	+6'-6"
	NICHE LIGHT	CEILING/BN 0'-11"
	TV	+3'-6"
	EXHAUST FAN	ASSITE
	CHANDELIER	SN CEILING
	15 AMP SOCKET EXHAUST	NR +6'-6"
	15 AMP SOCKET FOR GYSER	+6'-6"
	15 AMP SOCKET FOR FRIDGE	+6'-6"
	15 AMP SOCKET FOR SPLIT AC	+7'-6"
	DISTRIBUTION BOX	+6'-0" 1'-0"

NOTE: CEILING FANS TO BE LOCATED AFTER FALSECEILING

DESIGNIMAGES

Dwg. Title		FIRST FLOOR ELECTRICAL CEILING LOOPING AND CONDUITING LAYOUT	
Designed by		Eng. Chk.	
Drawn by		Coordination	
Date	28 / 11 / 2018	Approved	
DRG NO	Y05E03B	CAD No	